



YELANGU Autodolly L4X Motorized Electric Track Rail Slider Dolly Car with Remote Control Instruction Manual

[Home](#) » [YELANGU](#) » YELANGU Autodolly L4X Motorized Electric Track Rail Slider Dolly Car with Remote Control Instruction Manual 



YELANGU
Autodolly
Instruction manual



Contents

- [1 Item structure](#)
- [2 Operation](#)
- [3 Angle Shooting](#)
- [4 Specification](#)
- [5 Warning](#)
- [6 Documents / Resources](#)
- [6.1 References](#)

Item structure



Pro Tips :

- 4 pcs indicators, 1 pcs is charging indicator.when charging its red, full charged its green.In a non charged state its off. Another 3 are power and speed Indicator Switch turned on .indicators always on means speed position three indicators flash means power off.you need to recharge.The default speed is the highest speed.
- Wireless remote indicator light.Once turn on light flash means transmit signal .always-on means remote battery voltage not enough.

Operation

AI After install camera pls turn on then press Autodolly's Positive or negative button then it works also can use with remote to control.



A2 Press Autodolly's positive or negative button can change A2 direction. Press Speed button can change speed. Also this function can realize via remote



A3 When screw is too tighten or A3 loosen pls via Allen key to adjust.



Angle Shooting

Straight Line Shooting

A2 Two direction wheels in a Same plane it can realize A1 straight line shooting. Or move on a slider ,the slider two rail distance 80mm, rail diameter 19mm.



Curve Shooting:

A2 Adjust two direction wheels angel can realize curve shooting.



Pitch Shooting:

A3 With ball head can realize pitch shooting.



Specification

- Max Load: 3kgs.
- Speed: Approx.1.4cadS Approx.2.4cm/S Approx.3.0cm/S (Camera weight is 3kgs,full power,move on a horizontal space in straight line).
- Remote control distance: Approx.6M.
- Autodolly battery life: Approx.6H.
- Autodolly charge time: S3H.
- Remote battery model: CR2032 (included battery).
- Remote battery life: 18H.
- The times of remote control normal use:60000 times.

Warning

1. Do not spin wheels by force.
2. Do not exceed the Autodolly's maximum load capacity of 3kgs.
3. Remove remote battery out when Autodolly don't work.
4. Ensure that all ground is smooth when necessary.
5. Do not attempt to use when camera or center of gravity not fixed.

FCC warning

- This device should be installed and operated with minimum distance 0mm between the radiator your body.
- This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:


- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

YELANGU

Documents / Resources

	<p>YELANGU Autodolly L4X Motorized Electric Track Rail Slider Dolly Car with Remote Control [pdf] Instruction Manual 2A3AV-L4X, 2A3AVL4X, I4x, Autodolly L4X Motorized Electric Track Rail Slider Dolly Car with Remote Control, Autodolly L4X, Motorized Electric Track Rail Slider Dolly Car with Remote Control</p>
---	---

References

- [User Manual](#)