

Sony

TRV-818
Hi 8
 20x optical zoom, 460x digital zoom, Color viewfinder, Night shot 0 lux minimum illumination, Steady shot stabilization system, Manual focus and exposure



(SOTR818) *Call*

TRV-58
Hi 8
 1/6" CCD 270,000 pixels, 20x optical zoom, 460x digital zoom, 2-1/2" color lcd screen, Night shot 0 lux minimum illumination, 17 hour battery life, Built-in video light, manual focus and exposure 16:9 ratio



(SOTRV58) *Call*

TRV-68
Hi 8
 Step up features from CCD trv58
 1/4" CCD 320,000 pixels, steady shot picture stabilization system, Manual focus and exposure, 16:9 ratio



(SOTRV68) *Call*

TRV-88
Hi 8
 Step up features from CCD trv68
 3" swivel screen - color lcd display (123k Pixels)



(SOTRV88) *Call*

TRV-98
Hi 8
 Step up features from CCD trv88
 W/3.5" Screen, Super laser link wireless transmission system



(SOTRV98) *Call*

HI 8 OPTIONAL ACCESSORIES

	TR-818	TRV58	TRV68	TRV88	TRV98
LENSES	VCL0637H	VCL0637H	VCL0637H	VCL0637H	VCL0637H
Telephoto / Wide Angle	VCL-R2037	VCL-R2037	VCL-R2037	VCL-R2037	VCL-R2037
BATTERIES *	550/750/960	550/750/960	550/750/960	550/750/960	550/750/960
AC/DC QUICK CHARGER	ACVQ850D	ACVQ850D	ACVQ850D	ACVQ850D	ACVQ850D
PORTABLE CHARGER	BCV615	BCV615	BCV615	BCV615	BCV615
FILTER KIT UV/FLD/ND6	VDFK37	VDFK-37	VDFK-37	VDFK-37	VDFK-37
CASE	LCS-VA2	LCS-VA2	LCS-VA2	LCS-VA2	LCS-VA2
CABLES	VMC20FR	VMC20FR	VMC20FR	VMC20FR	VMC20FR
IFT-R20A SUPER LASER LINK	NO	NO	NO	NO	Yes

DCR-TRV 130
Digital 8mm
 20x optical zoom, 560x digital zoom, 2-1/2" color LCD screen, 1394 I link DV interface, Steady Shot stabilization, 0 lux with super night shot Infra red system, Super laser link, Built in light, Up to 12.5 hours battery rec time,



(SOTRV130) *Call*

DCR-TRV 230
Digital 8mm
 Same features as the DCR TRV130, plus
 Compact body, 25x optical zoom 700x digital zoom, Intelligent shoe, Analog input,



(SOTRV230) *Call*

DCR-TRV 330
Digital 8mm
 Same features as the DCR TRV230, plus
 Digital still camera mode uses memory sticks,



(SOTRV330) *Call*

DCR-TRV 530
Digital 8mm
 Same features as the DCR TRV 330, plus
 W/3.5" screen, Usb terminal, Program edit, Drop frame time code, 7 Fader modes, 8 Picture effects, 6 Digital effects,



(SOTRV530) **649.95**

DCR-TRV 730
Digital 8mm
 18x optical zoom, 500 digital zoom, 2.5" color LCD screen, Step up features from the DCR TRV530
 Mega pixel CCD imager, Mpeg movie, Progressive shutter system,



(SOTRV730) *Call*

DIGITAL 8 OPTIONAL ACCESSORIES

	TRV130	TRV230	TRV330	TRV530	TRV730	TRV830
LENSES	VCL-0637H VCL-R2037	VCL-0637H VCL-R2037	VCL-0637H VCL-R2037	VCL-0637H VCL-R2037	VCL-0637H VCL-R2037	VCL-0637H VCL-R2037
BATTERIES *	NPF550/750/90	NPF550/750/90	NPFM50/70/91	NPFM50/70/91	NPFM50/70/91	NPFM50/70/91
AC/DC QUICK CHARGER **	ACVQ850D	ACVQ850D	ACVQ850D	ACVQ850D	ACVQ850D	ACVQ850D
PORTABLE CHARGER	BCV615	BCV615	BCVM50	BCVM50	BCVM50	BCVM50
VIDEO LIGHT/FLASH	B.I. LIGHT	HVL-FDH3	HVL-FDH3	HVL-FDH3	HVL-FDH3	HVL-FDH3
FILTER KIT UV/FLD/ND6	VDFK-37	VDFK-37	VDFK-37	VDFK-37	VDFK-37	VDFK-37
CARRYING CASE	LCS-VA2	LCS-VA2	LCS-VA2	LCS-VA2	LCS-VA2	LCS-VA2
MEMORY STICK	NO	NO	Yes	Yes	Yes	Yes
M.S. CARD ADAPTER	NO	NO	Yes	Yes	Yes	Yes
M.S. FLOPPY ADAPTER	NO	NO	Yes	Yes	Yes	Yes
IFT-R20A SUPER LASER LINK	Yes	Yes	Yes	Yes	Yes	Yes

DCR-TRV 830
Digital 8mm
 Step up features from the DCR TRV730
 W/3.5" Screen, Portable dye sublimation color printer supplied,



(SOTRV830) *Call*

* SONP-FM50=2 Hour SONP-FM70=5.5 Hour SONP-FM91=9 Hour SONP-F550=2 Hour SONP-F750=8 Hour SONP-F960=16 Hour
 ** AC-VQ850D A QUICK CHARGE FULL HOUR OF RECORDING TIME IN JUST 20 MINUTES.
 *** NEEDS A STEP UP RING ADAPTER.....(FLU3037).....**6.95**



DCR-TRV-17

Digital Mini DV

10x Zeiss optical zoom 120x Digital zoom, Super Steady shot, Night shot, 2.5" LCD screen, 7 Mode program AE, Color view finder. Super laser link, intelligent accessory shoe, DV in/out, Analog to Digital conversion, Drop frame time code, 4 Picture effects, 16x9 Wide screen, Built in Digital still Camera, 4 M.B. Memory Stick supplied



(SOTRV17) *Call*

DCR-TRV-30

Digital Mini DV

Step up Features from DCR-TRV-17

Mega Pixel CCD 1/4", 530 Lines of Resolution, 1.3 MBS stills, Advanced HAD™ CCD Technology, 3X color Bandwidth, lower signal to noise ratio, Precision Color Viewfinder



(SOTRV30) *Call*

DCR-PC9

Digital Mini DV

500 lines of Resolution. Advanced HAD CCD 1/4" CCD with 680 K Pixels, 640 x 480 stills, 60 sec MPEG Movie Mode Capture video and Audio directly to Memory Stick. 10X Optical/120 X Digital Zoom Zeiss Lens, Touch Screen System on the LCD, Super Night Shot 0 Lux, 2.5" Lcd Screen 211k Pixels, Color Viewfinder 180k Pixels, Progressive Shutter, 2x Playback Zoom Digital Program Editing, Super Steady Shot Analog Input, Accessory Shoe, 16:9 Mode, USB Interface, MGI Photo Suite, Video Wave, Spot Meter Exposure, (SODCRPC9) *Call*



(SODCRPC9) *Call*

DCR-PC-110

Digital Mini DV

Step up features Build in Flash 520 LINES, MEGA PIXEL 1152 X 864 Still Chroma & luminance key



(SODCRPC110) *Call*

DCR-TRV900

Digital Mini DV

3 CCD, 3 1/2" LCD flip out Screen, 12 Optical 48x Digital zoom, Color finder, Super Steady shot stabilizer, Progressive CCD, Zebra pattern, PCM digital stereo Audio, laser link, Complete digital still camera, 5 mode program AE, Manual exposure/focus, 6 Picture digital effects, op frame time code, I link DV in/out, 16x9 recording, a/v digital Fader (SOTRV900) *Call*



(SOTRV900) *Call*

DCR-VX2000

Digital Mini DV

12x optical 48x digital Zoom, 2.5"lcd screen, Precision Color Viewfinder 180k Pixels, Active prism, Super Steady shot, 530 lines horizontal resol, 3 mode AE, 6 plate iris, 2 mode neutral density Filter, 16 bit digital stereo audio, DV in/out, Drop frame time code, 5 mode AV fader, Built in 20 segment assembler Editing, Comes with 4 MB memory stick, USB card reader (SODCRVX2000) *Call*



(SODCRVX2000) *Call*

DIGITAL MINI DV OPTIONAL ACCESSORIES

	DCR-PC9	DCR-PC110	DCR-TRV17	DCR-TRV30	DCR-TRV900 PD100A	DCRVX2000 PD150
LENSES	VCL0637H ***	VCL0637H	VCL0637H ***	VCL0637H	VCLR0752	VCLHG0758
Telephoto / Wide Angle	VCL-R2037	VCL-R2037	VCL-R2037	VCL-R2037	VCLR2052	VCL1758
BATTERIES *	NPFM50/7091	NPFM50/70/91	NPFM50/70/91	NPFM50/70/91	NPF550/750/960	NPF550/750/960
AC/DC QUICK CHARGER ADAPTER	ACVQ850D **	ACVQ850D **	ACVQ850D **	ACVQ850D **	ACVQ850D **	ACVQ850D **
PORTABLE CHARGER	BCVM50	BCVM50	BCVM50	BCVM50	BCV615	BCV615
VIDEO LIGHT / FLASH	HVL20DM	HVLS3D HVL20DM	HVLFDH3 HVLS3D	HVLS3D HVL20DM	HVLFDH3 HVLS3D	HVLFDH3 HVLS3D
FILTER KIT UV/FLD/ND/6	VDFK37 ***	VDFK37	VDFK37 ***	VDFK37	VDFK52	VDFK58
CARRYING CASES	LCS PC1 LCM PCY2	LCS PC1	LCM TRVX LCS VA2	LCM TRVX LCS VA2	LCHTRV900	LCH VX2000
MEMORY STICK	Yes	Yes	Yes	Yes	WITH MSACPC2 PCMCIA ADAPTER	Yes
CABLES	Yes	Yes	Yes	Yes	Yes	Yes

PROFESSIONAL CAMCORDERS

DSR-PD150

3CCD DVCAM 380k Pixels, 12x optical, 20/48x digital zoom super steady Shot & auto focus, 530 lines of resolution, 2 LUX, still image mode, Auto/manual exposure, Built in Speaker, still mode allows 988 images on a 64mb Memory stick, USB port for PC, Analog input, I-Link, Digital Video Effects Fader, Flash, Sepia,



(SODSRPD150) *Call*

DSR-250

12x zoom /24/ 48x digital zoom, 3 CCD, Records 270 Minutes DV-180 Minutes DVCAM, Steady Shot, 2 LUX, Built in speaker, up to 988 Images on optional 64Mb Stick, USB flash memory port, Directional shotgun mic, 1.5" B&W viewfinder, I LINK, Video/Audio inputs Variable shutter speeds, AE, s/w f/logo



(SODSR250) *Call*

DSR-300AL ENG KIT

Three 1/2-inch "FIT like" Power HAD CCD delivers 800 lines of horizontal resolution, 62dB S/N Ratio, sensitivity of F/11 at 2000 LUX and a reduced vertical smear ratio of -110dB. DVCAM Format uses 8-bit component digital recording with 5:1 compression and 4:1:1 color sampling. Four built-in filters records under virtually any lighting, 3200K/3000K, 5600K, 5600K+ 1/8 and 5600K+ 1/64. Two types of Zebra patterns, 3-mode matrix adjustment, the control provides Alternative chroma saturation, hue parameters for STD H.Sat and FL lighting conditions. Five files Factory preset also, the three User Files allow you to custom set camera parameters. A Jog dial Controls the viewfinder menu. Select the desired menu item, and set the value, one-fingered Jog Dial operation



Supplied Accessories: Canon 18x zoom lens, 2 Sony BPL-40 Batteries, & BCL-50 ac charger & soft case (SODSR300E) *Call*

DSR-500WSL ENG KIT

3 x 2/3"520,000 pixel 16:9 Switchable to 4:3 Power HAD IT CCD, 700 lines of horizontal resolution, Equivalent to 930 lines when converted to 4:3 resolution, Built In Filters 3200K 5600K + 1/8 ND5600K 5600K + 1/64 ND, Sensitivity F11 @ 2000 LUX, Minimum Illumination 0.5 Lux, VTR: Mini DV, DV, or DVCAM tapes can be used without an Adapter. Analog Video Output: Composite (BNC x 1)/Y/C (Din 4 pin S-Video x 1) Monitor Out Composite (BNC x 1), Digital Video Output I LINK (6 pin IEEE1394 DV), Analog Input: Composite (BNC x 1 with optional DSBK501 Pool Feed Board) Audio Output: Earphone (Mini Plug), Audio Input: Ch 1/Ch 2 (XLR 3pin Female x 2), 12 pin Lens, Weight: Approx. 13.9 lbs. (With VF, Mic, Battery, and Lens)



(SODSR500WSL) *Call*

Sony

LENSES

VCL-HG1758
HIGH GRADE TELEPHOTO LENS
 Ultra-High Quality 58mm Thread Lens 1.7x Telephoto Converter For the Sony DCR-VX2000 Camcorder Helps Make Distant Subjects Appear Closer
 (SOVCLHG1758) **284.95**



VCL-1452H
TELE-CONVERSION LENS
 Ultra-high quality lens recommended for digital camcorders and mega pixel still cameras. 1.4x telephoto converter lens for Sony 52mm diameter lenses Helps make distant subjects appear closer
 (SOVCL1452H) **104.95**



VCL-HG0737
HIGH GRADE WIDE ANGLE LENS
 Ultra-High Quality Lens Recommended For Digital Camcorders and Mega pixel Still Cameras. 0.7x Wide-Angle Converter For Sony 37mm Diameter Lenses Broadens the Point of View So You get a Wider Field of Vision
 (SOVCLHG0737) **129.95**



VCL-HG0758
HIGH GRADE WIDE ANGLE LENS
 Ultra-High Quality 58mm Thread Lens 0.7x Wide-Angle Converter For the Sony DCR-VX2000 Camcorder Broadens the Point Of View So You Get a Wider Field of Vision
 (SOVCLHG0758) **284.95**



VCL-0752H
WIDE-CONVERSION LENS
 Ultra-high quality lens recommended for digital camcorders 0.7x wide-angle converter for Sony 52mm diameter lenses Broadens the point of view so you get a wider field of vision
 (SOVCL0752H) **108.95**



VCL-2030S
TELE LENS 2.0X MAGNIFICATION
 Fits DCR-PC1 DCR-PC5, DCR-PC9, DCR-TRV17 Camcorders 2.0x magnification
 (SOVCL2030S) **Call**



VCL-R2052
52MM TELEPHOTO LENS
 2.0x telephoto converter for Sony 52mm diameter lenses Helps make distant subjects appear closer
 (SOVCLR2052) **49.95**



VCL-R2037
TELE-CONVERSION LENS
 2.0 x telephoto converter for Sony 30mm diameter lenses Helps make distant subjects appear closer
 (SOVCLR2037) **46.95**



VCL-0630S
WIDE ANGLE LENS CONVERTER
 0.6x wide-angle converter for Sony 30mm diameter lenses Broadens the point of view so you get a wider field of vision
 (SOVCL0630S) **Call**



VCL-R0752
WIDE-ANGLE 52MM LENS
 0.7x wide-angle conversion lens Fits 52mm lens diameters
 (SOVCLR0752) **44.95**



VCL-0637H
WIDE-ANGLE CONVERSION LENS
 Wide angle lens (0.6x) Fits 37mm lens diameter
 (SOVCL0637H) **38.95**



VF-37PK/S
POLARIZING FILTER KIT
 Polarizing filter suppresses unwanted reflections off glass, water and other reflective surfaces Multi-coated filter protects lens from dust and streaks. Hard carrying case for protection Fits Sony 37mm diameter lenses
 (SOVFR37KS) **59.95**



VCL-HG2037
HIGH GRADE TELEPHOTO LENS
 Ultra-High Quality Lens Recommended For Digital Camcorders and Megapixel Still Cameras. 2.0x Telephoto Converter For Sony 37mm Diameter Lenses Helps Make Distant Subjects Appear Nearer
 (SOVCLHG2037) **149.95**

FILTERS

VF-58PKS
UV & POLARIZING FILTER KIT
 Polarizing filter suppresses unwanted reflections off glass and water UV Filter protects lens from dust and streaks Hard carrying case for protection Fits 58mm diameter lenses
 (SOVFR58PKS) **Call**



VF-R52K
NEUTRAL DENSITY FILTER KIT
 Neutral Density filter improves contrast and detail in very bright sunlight (such as at the beach) Second, multi-coated filter protects lens from dust, streaks and the elements. Hard carrying case for protection. Fits Sony 52mm lenses
 (SOVFR52K) **Call**



VF-R37K LENS FILTER KIT
 Neutral Density filter improves contrast and detail in very bright sunlight (such as at the beach). Second, multi-coated filter protects lens from dust, streaks and the elements, Hard carrying case for protection, Fits Sony 37mm diameter lenses
 (SOVFR37K) **24.95**



VF-30PKS
POLARIZING FILTER KIT
 Polarizing filter suppresses unwanted reflections off glass and water Filter protects lens from dust and streaks, Hard carrying case for protection Fits 30mm diameter lenses (DCR-PC5, DCR-PC9, DCR-TRV17)
 (SOVFR30PKS) **Call**



LIGHTS

HVL-S3D DC

VIDEO LIGHT

Powered by camcorder, needs no separate battery Automatically switches on Small and lightweight Works with Intelligent Accessory shoe

(SOHVLS3D)

Call



HVL-F10

VIDEO LIGHT

Works automatically with Photo Mode Recommended shooting distance approximately 4m Includes auto lighting adjustment function

(SOHVLF10)

Call



HVL-FDH3

VIDEO FLASH - INTELLACCY SHOE

Video Light with Built-In Flash

(SOHVLFDH3)

89.95



HVL-IRH2

VIDEO IR LIGHT NIGHT SHOT FUNCTION

IR Emission Video Light for Night Shot Function Intelligent Shoe 100 feet for IR emission Controllable Light volume

(SOHVLRH2)

Call



HVL-20DW2

VIDEO LIGHT

10 watts (with NP-F330/530/550) 10 watt and 20 watt modes (with NP-F730H/750/950)

(SOHV20DW2)

89.95



HVL-IRC

NIGHTSHOT LIGHT

IR emission light for camcorders not equipped with intelligent accessory shoe Powered by 2 AA batteries or Info Lithium batteries (NP-F330/550/750/950) 100-feet Night Shot lighting distance Controllable light volume Handy and compact

(SOHVIRC)

Call



HVL-20DM

10-WATT/20 WATT VIDEO LIGHT

10-watt operation with optional Sony NP-FM30 and NP-FM50 battery packs Switchable 10-watt/20watt operation with optional Sony NP-FM70 and NP-FM91 battery packs.

(SOHV20DM)

Call



HVL-10DC

10W VIDEO LIGHT

10-watt Halogen lamp (use with NP-F20/30 battery) Replacement Halogen bulb XB-10DC (optional)

(SOHV10DC)

Call



TRIPODS

VCT-D480RM

REMOTE CONTROL TRIPOD

Remote operation directly from the tripod grip Remote zoom in/out, release and lock/standby Expands from 16" to 42" in height Easy height adjustment with elevator mechanism Built-in level for convenient reference Elevator friction control Quick release mounting shoe

(SOVCTD480RM)

Call



VCT-D680 TRIPOD

WITH REMOTE CONTROLLER

Built-in level and 2-way pan head for easy portrait and landscape shooting with quick release. Expands from 19" to 57", Easy height adjustment with elevator mechanism Remote controlled grip allows you to control zoom, record, start/stop and lock/standby functions directly from the grip

(SOVCTD680RM)

Call



VCT-570RM TRIPOD

WITH REMOTE CONTROLLER

Quick release, 2-way pan head with Elevator Friction control Expands from 17.5" to 45" Compatible with camcorders and digital still cameras Remote controlled grip allows you to control zoom, record, start/stop and lock/standby directly from the grip

(SOVCTD570RM)

Call



VCT-870RM TRIPOD

WITH REMOTE CONTROLLER

Remote operation directly from the tripod grip Remote zoom in/out, start/stop, lock/standby and Photo mode on/off Expands from 26" to 64" in height Easy height adjustment with elevator mechanism 2-way tilt head for portrait or landscape still photography Built-in level for convenient reference Elevator friction control Quick-release mounting shoe

(SOVCT870RM)

Call



VCT-D580RM

REMOTE CONTROL TRIPOD

Remote operation directly from the tripod grip Remote zoom in/out, release and lock/standby Expands from 17.5" to 45" in height Easy height adjustment with elevator mechanism Built-in level for convenient reference Elevator friction control Quick release mounting shoe

(SOVCTD580RM)

Call



BATTERIES & CHARGERS

AC-VQ850D

AC ADAPTOR / CHARGER


For Sony Info lithium L and M Series batteries (NP-F330, F550, F750, F950, F960, FM30, FM50, FM70, FM91) Quick Charge system restores up to a full hour of recording time in just 20 minutes (using NP-750, F950, or F960 battery) Informative LCD panel shows time left to full charge Buzzer notifies when charging is complete Can be used as an AC/DC adaptor (DC via cigarette lighter socket) with all SONY camcorders, Mavica and Cyber-shot products that use "M" and "L" series batteries using the supplied DK 215 / DK 415 attachment cables

(SOACVQ850D) **119.95**

AC-VQ11

AC CHARGER

AC Power Supply/Battery Charger for "S" Series Info lithium Batteries

(SOACVQ11) **Call**

DC-VQ11 DC

POWER SUPPLY/CHARGER

DC Power Supply/Battery Charger for "S" Series Info lithium Batteries

(SODCVQ11) **Call**

AC-V16

NI-CAD BATTERY CHARGER

Worldwide AC Battery Charger, Charges NP-98 in 3 hrs and 30 min AC power supply for Handycam

(SOACV16) **Call**

DCC-L50

CAR BATTERY ADAPTER CABLE

Car battery adaptor cable. Designed for Lithium Ion powered camcorders only Allows you to power your Handycam camcorder directly from your car's cigarette lighter socket.

(SODCCL50) **54.95**

BC-V615 BATTERY CHARGER

Economical portable charger for Lithium-ion batteries (NP-F330/550/730H/750/960)

(SOBCV615) **44.95**

BC-V500 PORTABLE CHARGER

Portable battery charger for Lithium-ion batteries (NPF330/550/ 730H/750/960) Retractable AC plug ideal for light-weight travel Charges 2 batteries at once.

(SOBCV500) **98.95**

BC-VM50

PORTABLE BATTERY CHARGER

For Sony NP-FM50, FM-70 AND FM-91 "M" Series Info lithium Batteries

(SOBCVM50) **46.95**

NP-F550

LITHIUM-ION BATTERY

Rechargeable Lithium-ion battery pack Built-in microprocessor accurately calculates remaining power within minutes 7.2V, 10.8Wh (1500mAh) with No Memory Effect Up to 4 hours of continuous recording time

(SONPF550) **49.95**

NP-F750 LITHIUM-ION BATTERY

Rechargeable Lithium-ion battery pack Built-in microprocessor accurately calculates remaining power +/- one minute 7.2V, 21.6Wh (3000mAh) with no memory effect Up to 8 hours of continuous recording time

(SONPF750) **Call**

NP-F730H

LITHIUM-ION BATTERY

Rechargeable Lithium-ion battery pack for DCR-VX1000 7.2V, 21.6Wh (3000mAh) with No Memory Effect

(SONPF730) **Call**

NP-F960

LITHIUM-ION BATTERY

Rechargeable Lithium-ion battery pack Built-in microprocessor accurately calculates remaining power within minutes 7.2V, 38.8Wh (5400mAh) with no Memory Effect Up to 15 hours of continuous recording time

(SONPF960) **Call**

NP-FS11 BATTERY

Info Lithium™ Rechargeable Battery Pack Built-in microprocessor accurately calculates remaining power within minutes Up to 65 minutes of continuous recording time with viewfinder 3.6V, 4.1Wh (1140mAh) with no Memory Effect Up to 65 minutes of continuous recording time with viewfinder

(SONPFS11) **49.95**

NP-FS21 BATTERY

Info Lithium Rechargeable Battery Pack Built-in microprocessor accurately calculates remaining power within minutes Up to 145 minutes of continuous recording time with viewfinder 3.6V, 8.2Wh (2280mAh) with no Memory Effect

(SONPFS21) **Call**

NP-FS31 BATTERY

Info Lithium Rechargeable Battery Pack for DCR-PC1 Built-in microprocessor accurately calculates remaining power within minutes Up to 225 minutes of continuous recording time with viewfinder 3.6V, 12.3Wh (3420mAh) with no Memory Effect

(SONPFS31) **Call**

NP-FM50 BATTERY

Rechargeable Lithium-ion battery pack for DCR-TRV8 and DCR-TRV10, DSC-S30, DSC-S50, DSC-S70 Built-in microprocessor accurately calculates remaining battery life in minutes 7.2V, 8.5 Wh with no Memory Effect. Up to 3 hours of recording time

(SONPFM50) **49.95**

NP-FM70 BATTERY

Rechargeable Lithium-ion battery pack for DCR-TRV8 and DCR-TRV10 Built-in microprocessor accurately calculates remaining battery life in minutes 7.2V, 17.0Wh with no Memory Effect. Up to 5 hours of continuous recording time

(SONPFM70) **Call**

NP-FM91 BATTERY

Rechargeable Lithium-ion battery pack Built-in microprocessor accurately calculates remaining battery life in minutes Up to 10 hours of continuous recording time. 7.2V, 29.8Wh (4140mAh) with no Memory Effect.

(SONPFM91) **Call**

MICROPHONES

ECM-HS1

GUN ZOOM MIC

Shotgun/zoom microphone. Intelligent shoe, Synchronized with camcorder zoom

(SOECMHS1) **Call**

CARRYING CASES

LCH-VX2000

HARD CARRYING CASE

Silver hard case exclusively for the DCR-VX2000 Sophisticated design recommended for enthusiasts and professionals Includes detachable shoulder strap Features extra storage area for accessories

(SOLCHVX2000)

Call



LCS-VA2

UNIVERSAL SOFT CARRYING CASE

Compact, Easy-To-Carry Shoulder Bag Attractive black simulated leather and padding protect your valuable video equipment Front Pocket for Spare Battery Packs and Tape Extra storage area for accessories

(SOLCSVA2)

Call



LC-MPCA

SOFT CARRYING CASE

Semi Soft Case for DCR-PC110 Handycam Camcorder

(SOLCMPCA)

Call

LCM-TRVX

SEMI-SOFT CASE

Compact, Easy-To Carry Shoulder Bag For DCR-TRV8, TRV10, TRV11 and TRV20 Attractive Black Simulated Leather and Padding Protect Your Camcorder Storage For Spare Battery Packs and Tapes.

(SOLCMTRVX)

Call



LCH-TRV900

HARD CARRYING CASE

Hard case for Digital Handycam camcorder DCR-TRV900 Sophisticated design recommended for enthusiasts and professionals Includes detachable shoulder strap, Features extra storage area for accessories

(SOLCHTRV900)

Call



LCS-VA1

UNIVERSAL SOFT CARRYING CASE

Compact, soft carrying case for all TR/TRV series Handycam camcorders Attractive black simulated leather and padding protect your valuable video equipment Easy-to-carry shoulder bag. Extra storage area for accessories

(SOLCSVA1)

12.95

LCM-PCY2 SEMI-SOFT CASE


Semi-soft carrying case for DCR-PC5, DCR-PC9

(SOLCMPCY2)

Call



CABLES



VMC-IL4415

DIGITAL INTERFACE CABLE

1.5m (5') 4pin-4pin Digital Interface cable i.Link Interface compatible Single cable carries video, audio, and frame information Allows for editing between Digital Handycam camcorders with virtually no picture quality loss

(SOVMCIL4415)

Call

VMC-IL4435

DIGITAL INTERFACE CABLE

3.5m (11') 4pin-4pin Digital interface cable

(SOVMCIL4435)

44.95

VMC-IL4615

DIGITAL INTERFACE CABLE

1.5m (5') 4 pin-6 pin Digital interface cable To connect the camcorder to the PC. w/ 6 pin.

(SOVMCIL4615)

Call

VMC-IL6615

DIGITAL INTERFACE CABLE

1.5m (5') 6 pin 6 pin Digital interface cable PC + PC 6 pin

(SOVMCIL6615)

19.95

VMC-20FR LANC-MIC ADAPTOR

A/V Mini plug/RCA Cable

(SOVMC20FR)

Call

PRINTER & ACCESSORIES

PVP-MSH

PORTABLE CAM PRINTER

Portable Video Printer for DCR-TRV330, TRV530 and TRV730

(SOPVPMSh)

Call



DSR-ME1 DVCAM EDITING

CONTROL ADAPTOR

Edit Controller for GVD-900, 99x4 Segment Assemble Edit, Control LANC Compatible Jog Dial/Shuttle Wheel for precise control.

(SODSRME1)

Call




CPPM-NR40

PRINTER PAPER STANDARD

40 Prints of Standard Printer Paper For DCR-TRV820/830 Includes Two Ink Ribbons, Paper Size 3-1/2" x 2-1/4"

(SOCPMMNR40A)

Call



REW-88 8MM

CASSETTE REWINDER

8mm rewinder. High speed rewind rewinds 2 hour tape in 1.5 minutes Anti-jamming mechanism, DC operation (6 AA batteries), Compact design

(SOREW88)

Call




CPPM-SC40

PRINTER PAPER STICKER TYPE

20 Prints of Single Sticker Paper For DCR-TRV820 20 Prints of Multi-Sticker Paper, 9 Prints per Sheet, Includes Two Ink Ribbons Paper Size 3-1/2" x 2-1/4"

(SOCPMMS40)

Call



IFT-R20 IR RECEIVER

For Handycam Camcorder equipped with Infrared transmitter Playback Handycam Camcorder without wire connection Usable up to 26 feet distance, High - quality video with stereo sound AC Power Supply included.

(SOIFR20A)

Call



DPP-SV55

SNAPSHOT PHOTO & VIDEO PRINTER

DIGITAL PRINT MEDIA Edit, crop, and view without a computer Easily connects to a TV or PC for simple operation Snapshot Prints From Your Digital Pictures Print Images in Two Sizes PC-Free Direct Printing 3.8 Mega pixel High Resolution Photo Quality Dye-Sublimation Printing (403 DPI, 16.7 Million Colors) High Speed Printing-approximately 90 seconds for a 4"x6" print Image Optimization Functions Super Coat 2 Protective Lamination Multiple Frame or Index Printing Easy to Use Interface PC/Mac Compatible Via USB Interface Memory Stick Media and Flash Media Card Compact Size: 9 1/2 x 2 13/16 x 10 1/2 (W x H x D) Auto Feeder Tray Starter Print Pack with 10 Sheets of 4"x6" Paper and Ribbon supplied Slide Show Mode

(ISODPPSV55)

Call



SVM-25LS Print Pack

(ISOSVM25LS)

Call

SVM-30SW Compact Sticker Print Pack

(ISOSVM30SW)

Call

SVM-25LW Sticker Print Pack

(ISOSVM25LW)

Call

SVM-30SW09 9-Print Sticker Print Pack

(ISOSVM30SW9)

Call

SVM-30SS Compact Print Pack

(ISOSVM30SS)

Call

MEMORY STICK MEDIA & PRODUCTS

MEMORY STICK MEDIA

Digital Data Storage, Ultra-Small, Thin Design, Ultra-fast transfer time: (up to:) 1.5MB/sec write speed; 2.4MB/sec read speed, Durable and rugged Ideal size for multimedia products 10-Pin Connector for High Reliability, (Write) prevention switch protects stored data from accidentally being erased.

128MB(ISOMSA128) **129.95**
64MB(ISOMSA64A) **69.95**
32MB(ISOMSA32A) **44.95**
16MB(ISOMSA16A) **32.95**
8MB(ISOMSA8A) **Call**



MSAC-PC2

PC CARD INTERFACE FOR MEMORY STICK MEDIA

Read/write to/from Memory Stick media from standard PCMCIA slot Easily links Memory Stick media to most notebook computers Up to 4.6Mb/s transfer rate Memory Stick media is reliable, sturdy and ultra-compact Compatible with Windows 98/98 Windows CE and Mac OS 7.5 and later.

(ISOMSACPC2) **Call**



MSAC-FD2MA

MEMORY STICK FLOPPY DISC ADAPTOR

Reads and writes Memory Stick media in a standard PC 3.5" floppy disk drive Data transfer between Memory Stick media and PC's Compatible with Windows 95, 98, 98SE, NT 4.0, and Mac OS 8.5.1, 8.6 and 9.0 Windows 2000 and Millenium Edition compatible with future download upgrades Up to 240 kilobit/sec transfer rate Compatible with computers with a floppy drive and also MVC-FD87 Digital Mavica

(ISOMSACFD2MA) **Call**



MSA-CUS1A

MEMORY STICK READER/WRIter

Read/write to/from Memory Stick media via convenient USB port for fast file transfer Data transfer between Memory Stick media and USB-equipped desktop or notebook PC's Max. 12Mb/sec. transfer rate Compatible with Windows 98, 98SE, 2000, ME and Mac OS 8.5.1, 8.6 and 9.0 High Speed: 12 megabit/sec max transfer rate Compatible with computers with USB ports Memory Stick media is reliable, sturdy and ultra-compact

(ISOMSACUS1A) **59.95**



MSAC-US5

MS/READER/WRIter WITH PRECISION OPTICAL USB MOUSE

Reads and writes Memory Stick media to a USB port with Optical Mouse functionality Data transfer between Memory Stick media and USB-equipped desktop or notebook PC's Compatible with Windows 98, 98SE, 2000, ME and Mac OS 8.5.1, 8.6 and 9.0 High Speed: 12 megabit/sec max transfer rate Compatible with computers with USB ports

(ISOMSACUS5) **Call**



MSAC-A8

MEMORY STICK CASE

Organizes up to eight Memory Stick digital media products Replaceable lining allows the MSAC-A8 to hold four Memory Stick media and the MSAC-PC2 type adaptor. Rugged shell assures protection of your media and accessories. Small and compact design for easy portability.

(ISOMSACA8) **Call**



ADORAMA VIDEO BATTERIES

LITHIUM

for **Sony NPF550** 7.2V 1500 mAh.
(VDBPLNPF550)..... **39.95**
 for **Sony NPF750** 7.2V 3000 mAh.
(VDBPLNPF750)..... **64.95**
 for **Sony NPF960** 7.2V 5400 mAh.
(VDBPLNPF960)..... **99.95**
 for **Sony NPFM50** 7.2V 8.5 Wh.
(VDBPLNPFM50)..... **44.95**
 for **Sony NPFM70** 7.2V 17.1 Wh.
(VDBPLNPFM70)..... **64.95**
 for **Sony NPFM91** 7.2V 29.8 Wh.
(VDBPLNPFM91)..... **84.95**
 for **Sony NPFS21** 3.6V 8.2 Wh.
(VDBPLNPFS21)..... **57.00**
 for **Sony NPF300** 7.2V 1500 mAh.
(VDBPLNPF300)..... **52.95**
 for **JVC BNV214U** 7.2V 1400 mAh
(VDBPLBNV214)..... **39.95**
 for **JVC BNV416U** 7.2V 2000 mAh
(VDBPLBNV416)..... **44.95**
 for **JVC BNV428U** 7.2V 2400 mAh
(VDBPLBNV428)..... **64.95**
 for **JVC BNV514U** 7.2V 1400 mAh
(VDBPLBNV514)..... **59.95**
 for **JVC BNV615U** 7.2V 1540 mAh
(VDBPLBNV615)..... **69.95**
 for **Canon BP422** 7.4V 3000 mAh
(VDBPLBP422)..... **64.95**
 for **Canon BP511** 7.4V 1500 mAh
(VDBPLBP511)..... **39.95**
 for **Canon BP522** 7.4V 3000 mAh
(VDBPLBP522)..... **59.95**
 for **Canon BP608** 7.2V 1200 mAh
(VDBPLBP608)..... **44.95**
 for **Canon BP617** 7.2V 1700 mAh
(VDBPLBP617)..... **39.95**
 for **Canon BP915** 7.2V 2000 mAh
(VDBPLBP915)..... **34.95**
 for **Canon BP930** 4000 mAh
(VDBPLBP930)..... **69.95**
 for **Canon BP945** 7.2V 4400 mAh
(VDBPLBP945)..... **89.95**
 for **Panasonic CGRD08** 7.2V 1200
 mAh(VDBPLCGRD8)..... **39.95**
 for **Panasonic CGRD16** 7.2V 2400
 mAh(VDBPLCGRD16)..... **54.95**
 for **Panasonic CGRD53** 7.2V 4000
 mAh(VDBPLCGRD53)..... **79.95**
 for all **Sharp Lithium Batteries**
 Please Call



NICKEL CADMIUM

for **Sony NP55** 6V 1100 mAh
(VDBP17)..... **29.95**
 for **Sony NP98D** 6V 3000 mAh
(VDBP15)..... **39.95**
 for **Canon BPE718** 6V 1800 mAh
(VDBP24)..... **54.95**
 for **Canon BPE722** 6V 2200 mAh
(VDBP21)..... **29.95**
 for **Panasonic PVBP15,17**
JVC BNV14,22
& Sony NP55,66,77,80,98
(SURB90UL)..... **29.95**
 for **Panasonic PVBP50** or **AGBP20**
 12V 2000 mAh(VDBP25)..... **34.95**
 for **Panasonic PVBP12** 9.6V-10V
 1400 mAh(VDBP12)..... **39.95**

MISC. BATTERIES

for **Sharp BTL2U** 3500 mAh LiTH
(VDBP43)..... **69.95**
 for **Sharp BTL12UXR** 5000 mAh LiTH
(VDBP45)..... **109.95**
 for **Sharp BTL12U** 3600 mAh Ni MH
(VDBP42)..... **69.95**
 for **Sharp BTH11UX** 3500 mAh Ni MH
(VDBP40)..... **69.95**
 for **Sharp BTN11U** 2400 mAh Ni Cad
(VDBP41)..... **84.95**
 for **Toshiba SKF-100/200/300**
(VDBP44)..... **44.95**
 for **RCA BB060, Hitachi VMBP84**
 1100 mAh Ni Cad.(VDBP38)..... **34.95**
 for **RCA BB120, Hitachi VMBP82/83**
 2400 mAh Ni Cad.(VDBP38)..... **34.95**