

PROAIM G-Axis Stabilizer Support System (FLCM-GAXS)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Stabilizer Support System Setup

- You can attach/detach weights to make the base platform balance according to your set-up weight.



- Mount the weights on the base weight platform and secure them properly as shown in the image.



- Using an allen key, loosen the locking screw on the central post such that telescoping post extends outwards.



- Mount the G-Axis Stabilizer Support to the Base Weight Platform and secure it properly using a 3/16mm allen key.



- Loosen the stabilizer knob and remove the dovetail quick release plate.

Note: Dovetail Quick Release Plate offers you easy swapping of camera Gimbals.




- Mount the gimbal (**Not included**) onto the dovetail quick release plate and secure it properly using a screw driver (**Not included**).

Note: Dovetail Quick Release Plate features 3/8"-16 and 1/4"-20 screws. The smooth padding on the top protects your gimbal from twisting & scratching.



- Now mount the dovetail quick release to the G-Axis Stabilizer Support and secure it correctly with the help of the knob.



- Mount the gimbal support on the baby pin stand and secure it with the help of the knob, as shown in the image.



- Mount the G-Axis Stabilizer Support System's handle to the gimbal support and secure it properly.

Note: Flycam G-axis is compatible with Single-Grip Gimbals such as the DJI RS 2, RSC 2, Ronin-S, Zhiyun-Tech CRANE 2S and 3S, Moza Air 2, and more.



YOUR PROAIM G-AXIS STABILIZER SUPPORT SYSTEM ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.