FLASHPOINT

AUTO STAND PRO

MOBILIZE YOUR LIGHT




Thank You for choosing **FLASHPOINT**!

The Flashpoint Heavy Duty Air Cushion AutoStand Pro is a second-generation ingenious light support that sets up quickly by placing the closed stand vertically on the floor, causing the legs to open automatically. The improved model dampens the mechanical sound of automatic splay and retraction through advanced design. Use this sturdy stand to support your lights and modifiers, and then quickly move from location to location by simply lifting the stand - the legs automatically retract! Soft air-cushioning brings a professional touch to Auto Stands.

INSTRUCTIONS

- 1. Loosen the locking screw that controls the leg extension (at the top of where the 3 legs meet).
- 2. Extend the legs until the brake ring stops you from extending them any further.
- Tighten the locking screw that controls the leg extension while the legs are fully extended.
- 4. Lift the stand, the legs should collapse for easy location changes.
- 5. Place the stand on a flat, hard surface, the legs should automatically extend and the base should lift off the ground.
- If the floor is not smooth enough the legs may not fully extend, use your foot to sweep one of the legs to its fullest extension WHILE HOLDING THE CENTER COLUMN.
- 7. To collapse the stand for packing, remove the light, then loosen the locking screw that controls the leg extension.
- 8. Collapse the legs until the brake ring stops you from collapsing them any further.
- 9. Tighten the locking screw.





SPECIFICATIONS

	7	9	13
Maximum Working Height	6.75′ / 206 cm	9.13′ / 278.2 cm	13′ / 395.5 cm
Minimum Working Height	3′ / 91.4 cm	3.21′ / 98 cm	3.94' / 120 cm
Load Capacity	15.4 lb / 7 kg	16.5 lb / 7.5 kg	16.5 lb / 7.5 kg
Air cushion load capacity	9.9 lb / 4.5 kg	9.9 lb / 4.5 kg	9.9 lb / 4.5 kg
Closed Length	32.4" / 84 cm	35.75" / 90.8 cm	47.28" / 120 cm
Finish	Black	Black	Black
Material	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy

	7	9	13
Air Cushioned	Yes	Yes	Yes
Footprint Diameter	33.1" / 82.2 cm	33.1" / 82.2 cm	48.4" / 120 cm
Number of Sections	3	4	4
Weight	4.1 lb / 1.88 kg	4.8 lb / 2.18 kg	4.9 lb / 2.26 kg
Section Diameters	1.4" / 35.5 mm 1.2" / 31.5 mm 1.1" / 28 mm	1.4" / 35.5 mm 1.2" / 31.5 mm 1.1" / 28 mm 0.98" / 25 mm	1.4" / 35.5 mm 1.2" / 31.5 mm 1.1" / 28 mm 0.98" / 25 mm

WARNINGS

- Only mount your lights when the legs are fully extended.
- Do not subject the stand to a high center of gravity, which can cause it to tip and fall.
- Use sandbags and other weights when needed.

 Nover tilt the stand forward or corruit tilted or beginning is needed.
- Never tilt the stand forward or carry it tilted or horizontal when something is mounted on it, this will damage the column locks.
- Misuse can result in serious damage to the stand, your lighting equipment, and bystanders and property.
- Be mindful of ceiling height, do not damage the ceiling or your lights with sudden impacts.
- Remember that when you lift the stand the lights go HIGHER than their current position, and keep the previous warning in mind.
- Don't say we didn't tell you so.

One Year Flashpoint Limited Warranty

Flashpoint warrants to the original purchaser that your Flashpoint product shall be free from defects in material and workmanship for the period of one (1) years from the date of purchase (or delivery as may be required in certain jurisdictions), or thirty (30) days after replacement, whichever comes later.

Flash point's entire liability and your exclusive remedy for any breach of warranty shall be, at Flash point's option, to repair or replace the hardware, provided that the hardware is returned to the point of purchase or such other place as Flashpoint may direct with a copy of the sales receipt or dated itemized receipt. Flashpoint may, at its option, replace your product, offer to provide a functionally equivalent product, or repair any product with new, refurbished or used parts as long as such parts are in compliance with the product's technical specifications. Any replacement hardware product will be warranted for the remainder of the original warranty period or thirty (30) days, whichever is longer, or for any additional period of time that may be applicable in your jurisdiction. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover problems or damage resulting from accident, abuse, misapplication, or any unauthorized repair, modification or disassembly, improper operation or maintenance, normal wear and tear, or usage not in accordance with product instructions or connection to improper voltage supply, use of consumables, such as replacement batteries, not supplied by Flashpoint, except where such restriction is prohibited by applicable law. Except where prohibited by applicable law, this warranty is nontransferable and is limited to the original purchaser and the country in which the product was purchased. This warranty gives you specific legal rights, and you may also have other rights, including a longer warranty duration that may vary under local laws.

To start a warranty claim contact the Flashpoint Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Flashpoint, along with the RMA number and proof of purchase.

Question about our product line? Need Product Support?

We are proud of our products and celebrate our customers. We are with you, from product selection to everyday use. Be secure with your purchase and reach us as you need.

- \$\left(212-647-9300 \right)\$
- 🔀 support@flashpointlighting.com

Flashpoint, 42 West 18th Street, New York, NY 10011

You can always contact us at BRANDS@ADORAMA.COM for personal technical support. Our website contains a wide range of Support and FAQ pages with valuable technical assistance.

Flashpoint is a registered trademark of ADORAMA CAMERA.
© 2023 Adorama Camera, Corp.
All Rights Reserved.

