

PROAIM

10" Dovetail Plate (ARRI Standard) (DP-10)



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



10" Dovetail Plate (ARRI Standard)

■ Dovetail Plate Setup

- Secure the top plate (Not Included) to the 10" dovetail tripod plate using a screwdriver (Not Included), as shown in the image.



- After attaching the dovetail plate to the top plate, slide the assembly onto the fluid head (Not Included).



- Lock the dovetail tripod plate in place using the locking lever on the fluid head.



Camera Mounting

- Attach the quick release plate (Not Included) to the camera (Not Included) and tighten it securely using a screwdriver.



- Carefully slide the camera onto the dovetail plate, and ensure it is securely locked in place.



- The setup is now ready to use.



**YOUR PROAIM 10" DOVETAIL TRIPOD PLATE (ARRI STANDARD)
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer a one-year warranty on our products from the date of purchase. During this period, we will repair the product free of charge for labor or parts. The warranty does not cover transportation costs or products that have been misused or accidentally damaged. All warranty repairs are subject to inspection and evaluation by our team.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.