

SmallRig



Mini Side Handle with 14-20 Screws Kit

Operating Instruction

The SmallRig Mini Side Handle (1/4"-20 Screws) 2916 is designed for mirrorless, digital camera, and other small cameras. Two 1/4"-20 screws are fixed to the side of the Cage. The handle supports additional mounting options - The flash and microphone can be mounted through the cold shoe 1241, and the wrist strap, such as 2456, can be mounted through the eyelet to prevent the camera from accidentally falling off. Highly adjustable to fit different cage height and support the quick switch from left-handed to right-handed through the built-in wrench. Compatible with SmallRig Cages 2251, 2808, etc. Made of aluminum alloy and plastic (PC+ABS) with ergonomic design, the portable handle provides filmmakers with a smooth and comfortable shooting experience.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

mini Handle	× 2	Guarantee Card	× 1
Allen Wrench	× 2		

Product Details



Easy to Use

1. Ergonomic design, comfortable grip experience.
2. Adjustable to different cage height and quick switch from left to right side.
3. Additional mounting options through 1/4"-20 screws and strap eyelet.
4. Lightweight and portable design.



Compatibility

Any cage featuring two 1/4"-20 threaded holes with 18mm distance on the side.

Note:

1. The maximum bearing capacity of the handle is 3.5kg. Please do not overload.
2. This handle serves as a mini grip, please kindly check other handles on our website if you prefer larger ones.

Specifications



Product Dimensions: 76 x 42 x 100mm

Package Dimensions: 121 x 105 x 45 mm

Net Weight: 139g±5g

Package Weight: 178g±5g

Material(s): Aluminum Alloy, Plastic (PC+ABS)

Manufacturer Email: support@smallrig.com
Manufacturer: Shenzhen Leqi Innovation Co., Ltd.
Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.
制造商: 深圳市乐其创新股份有限公司
地址: 中国广东省深圳市龙华区观澜街道大富社区平安路58号共联富基创新园4栋101、701、901

Consignor: Shenzhen LC Co., Ltd.
Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.
委托商: 深圳市乐长科技有限公司
地址: 中国广东省深圳市龙华区观澜街道大富社区平安路58号共联富基创新园4栋201

执行标准: GB/T 26572-2011

