


TURNSTILEAUDIO



Passenger Series
TAPH700

**Professional Studio
Monitoring Headphones**



Table of Contents

- 1. Important Safety Instructions & Warranty.
- 2. Introduction & Included Accessories.
- 3. Specifications.

! Important Safety Instructions

- Please read, follow, and keep all directions.
- Do not expose the headphones to extreme heat or cold.
- Do not expose the headphones to damp or wet conditions such as rain.
- Do not expose the headphones to excessive foreign particles as dirt or dust.
- Do not use any harsh chemical solvent to clean the headphones.
Do not attempt to disassemble the headphones as Turnstile Audio is not responsible for any damage caused.
- Do not attempt to modify the headphones as Turnstile Audio is not responsible for any damage caused by modifications.
- Keep the headphones in the case when it is not use.
- To clean the headphones use a dry cloth, do not use a damp cloth.

Exposure to extremely high noise levels may cause permanent hearing loss. Individuals vary considerably in susceptibility to noise-induced hearing loss, but nearly everyone will lose some hearing if exposed to sufficiently intense noise for a period of time. The U.S. Government’s Occupational Safety and Health Administration (OSHA) has specified the permissible noise level exposures shown in the chart. According to OSHA, any exposure in excess of these permissible limits could result in some hearing loss:

Noise Exposure Limits

Exposure Time	NIOSH	OSHA	
	dB SPL	dB SPL	
8 hrs	85	85	NIOSH The National Institute for Occupational Safety and Health.
4 hrs	88	90	
2 hrs	91	95	
1 hr	94	100	OSHA Occupational Safety and Health Administration.
30 min	97	105	
15 min	100	110	
7.5 min	103	115	dB SPL Decibel sound pressure level.
3.75 min	106	120	
> 2 min	109	-	
> 1 min	111	-	

Introduction

Thank you for choosing the Turnstile Audio Passenger Series TAPH700 Professional Studio Monitoring Headphones. We hope you will enjoy many hours of listening.

The TAPH700 Headphones provide a clean high-end, a present and forward midrange for detailed accuracy, and an extended bass response that you can hear and feel. The 50mm speaker drivers deliver the clarity you need and the closed-back design creates better sound isolation against outside noise.

The impedance is low, so an external headphone preamplifier is not needed for most audio devices; even smart devices can power the TAPH700. Also, the low noise detachable 3 pin cable makes maintenance or upgrades easier.

With soft leather memory foam on the pads, they contour to your ears for extra comfort and the headband adjusts to your head size for the right fit. Lightweight and durable, you can wear your TAPH700s for longer without ear fatigue.

Included Accessories

- 1/8th inch (3.5mm) to 1/4th. (6.3mm) inch adapter
- Carrying Case

Specifications

Speaker Driver Diameter	50mm
Impedance	32Ω (OHMS)
Sensitivity (dB SPL/V@ 1kHz)	96dB
Frequency Response	8Hz~36kHz
Max. Power	1500mW
Cable Length	9ft. (3M)
Plug	1/8th in. (3.5mm) 8.8oz
Weight	250g (without cable)

Customer Service

Turnstile Audio
42 West 18th Street
New York, NY 10011
1 (800) 223-2500

Turnstile Audio 2 Year Limited Warranty

Turnstile Audio warrants to the original purchaser that your Turnstile Audio product shall be free from defects in material and workmanship for the period of two (2) years from the date of purchase (or delivery as may be required in certain jurisdictions), or thirty (30) days after replacement, whichever comes later.

Turnstile Audio's entire liability and your exclusive remedy for any breach of warranty shall be, at Turnstile Audio's option, to repair or replace the hardware, provided that the hardware is returned to the point of purchase or such other place as Turnstile Audio may direct with a copy of the sales receipt or dated itemized receipt.

Turnstile Audio may, at its option, replace your product, offer to provide a functionally equivalent product, or repair any product with new, refurbished or used parts as long as such parts are in compliance with the product's technical specifications.

Any replacement hardware product will be warranted for the remainder of the original warranty period or thirty (30) days, whichever is longer, or for any additional period of time that may be applicable in your jurisdiction.

If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover problems or damage resulting from accident, abuse, misapplication, or any unauthorized repair, modification or disassembly, improper operation or maintenance, normal wear and tear, or usage not in accordance with product instructions or connection to improper voltage supply, use of consumables, such as replacement batteries, not supplied by Turnstile Audio, except where such restriction is prohibited by applicable law.

Except where prohibited by applicable law, this warranty is nontransferable and is limited to the original purchaser and the country in which the product was purchased.

This warranty gives you specific legal rights, and you may also have other rights, including a longer warranty duration that may vary under local laws.

To start a warranty claim contact the Turnstile Audio Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Turnstile Audio, along with the RMA number and proof of purchase.

42 West 18th Street
New York, NY 10011
1(800) 223-2500